ELSEVIER

Journal of Materials Processing Technology 96 (1999) 243

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 96

Al-Dhifi, S.Z.S., 73
Alexandrou, A., 59
Asnafi, N., 198
Astakhov, V.P., 22, 34

Béjar, M.A., 139
Bardinet, F.V., 59
Besshi, T., 157
Boccaccini, A.R., 92

Calero, J.A., 1
Chai, H., 102
Chan, C.-Y., 182
Chandra, A., 133
Changeux, B., 225
Cho, S.S., 188
Chou, I.N., 124
Chun, B.S., 188

Das, N.S., 9
Dingyi, Z., 19
Duan, Z., 48

Esteva, A., 42
Evans, J.R.G., 143

Fan, Q., 102

Greener, J., 143
Guilemany, J.M., 1

Hong, S.I., 188
Huang, C., 48
Hung, C., 124

Im, Y.-T., 163

Jae, J.S., 53
Jin, Z., 102
Jung, J.-Y., 163

Kang, J.H., 53
Kang, S.S., 53
Kim, H.S., 188
Kitamura, K., 234

Lam, F.-W., 182
Lebrun, J.L., 225
Lee, C.-P., 182
Lee, J.H., 188
Li, M., 133
Li, R.K.Y., 48
Liu, Y.C., 215
Loué, W., 59
Luo, S.Y., 215

M'Saoubi, R., 225
Mahmood Hassan, A., 73
Maity, K.P., 9
Mamalis, A.G., 112, 117
Manolakos, D.E., 112, 117
Martins, P.A.F., 173
Matsui, M., 157
Meza, S., 42
Mingliang, M., 19
Mizuno, T., 234

Morão Dias, A., 225

Navarrete, A., 139

Oh, H.-K., 108
Ohzawa, Y., 151
Olevsky, E.A., 92
Oosaki, T., 157
Outeiro, J.C., 225

Park, I.W., 53
Petrossian, G.L., 112, 117

Ramakrishnan, N., 81
Rodrigues, J.M.C., 173
Rodriguez, J.M., 42

Sakurai, T., 151
Sato, T., 157
Schnake, W., 139
Shangwu, X., 173
Sobolev, V.V., 1
Srivathsa, B., 81
Sugiyama, K., 151

Won, C.W., 188
Wu, C.M.L., 48

Yonglan, W., 19

Zhihao, J., 19

Elsevier Science S.A.
PII: S0924-0136(99)00399-4

ELSEVIER

Journal of Materials Processing Technology 96 (1999) 245–247

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 96

5083 Al alloy
Effect of die geometry on the microstructure of indirect squeeze cast and gravity die cast 5083 wrought al alloy and numerical analysis of the cooling behavior, 188

Absorbing dewax
The extrusion of fiber dispersion ceramic green bodies and their dewax behavior, 157
Aluminium
On stretch and shrink flanging of sheet aluminium by fluid forming, 198
Archard's wear model
A study on a die wear model considering thermal softening: (I) Construction of the wear model, 53
Austenitic stainless steel
Residual stress analysis in orthogonal machining of standard and resulfurized aisi 316l steels, 225

Ball burnishing process
Improvement in the wear resistance of brass components by the ball burnishing process, 73
Ballistic performance
Ballistic performance maps for thick metallic armour, 81
Boundary element method
Simulation of plane strain rolling through a combined finite element–boundary element approach, 173
Brass
Improvement in the wear resistance of brass components by the ball burnishing process, 73

Cell manufacturing
Considerations for using cellular manufacturing, 182
Ceramic filter
Preparation of a fibrous SiC shape using pressure-pulsed chemical vapour infiltration and its properties as a high-temperature filter, 151
Ceramic/metal brazing
The effect of molybdenum net interlayer on thermal shock resistance of Al_2O_3/Nb brazed joint, 19
Ceramics
Elongational flow processing of ceramics, 143
The extrusion of fiber dispersion ceramic green bodies and their dewax behavior, 157
Chip curl
A class of slip-line field solutions for metal machining with elastic contact, 9
Combustion synthesis
Microstructural evolution of the titanium particles in the in-situ composition of tic–fe by the combustion synthesis, 102
Composite clad rods
The finite-element study on extrusion of powder/solid composite clad rods, 124
Continuous casting of copper tubes
A note on the control of the solidification front in the continuous casting of copper tubes, 42
Copper substrate
Heat transfer during the formation of an HVOF sprayed WC–Co coating on a copper substrate, 1
Crystallizing π-bonding
Some comments on the self-hiding of electrons at very low temperature, 108
Cutting forces
Residual stress analysis in orthogonal machining of standard and resulfurized aisi 316l steels, 225

Densification
Processing of platelet-reinforced glass matrix composites: effect of inclusions on sintering anisotropy, 92
Die-softening test
A study on a die wear model considering thermal softening: (I) Construction of the wear model, 53

Elastic contact
A class of slip-line field solutions for metal machining with elastic contact, 9
Electrocontact
Electrocontact-discharge sawing of metals, 139
Electrodischarge
Electrocontact-discharge sawing of metals, 139
Elongational flow processing
Elongational flow processing of ceramics, 143
Experimental verification
A treatise on material characterization in the metal cutting process. Part 1: A novel approach and experimental verification, 22
Extrusion and injection moulding
Elongational flow processing of ceramics, 143
Extrusion
The extrusion of fiber dispersion ceramic green bodies and their dewax behavior, 157
The finite-element study on extrusion of powder/solid composite clad rods, 124

FEM
Effect of die geometry on the microstructure of indirect squeeze cast and gravity die cast 5083 wrought al alloy and numerical analysis of the cooling behavior, 188
Fiber reinforcement
The extrusion of fiber dispersion ceramic green bodies and their dewax behavior, 157
Fillers
Effect of copper filler of resin-bonded diamond composites on the wear behaviours under a dry condition, 215
Finite element method
Simulation of plane strain rolling through a combined finite element–boundary element approach, 173

Elsevier Science S.A.
PII: S0924-0136(99)00398-2

Finite element simulations
Fuzzy control algorithm for the prediction of tension variations in hot rolling, 163
Finite element
The finite-element study on extrusion of powder/solid composite clad rods, 124
Fluid forming
On stretch and shrink flanging of sheet aluminium by fluid forming, 198
Forging/upsetting
Open-die forging of sintered cylindrical billets: an analytical approach, 112
Forming limit diagram
Influence of strain-rate sensitivity on necking and instability in sheet metal forming, 133
Forming parameters
The finite-element study on extrusion of powder/solid composite clad rods, 124
Fracture
A treatise on material characterization in the metal cutting process. Part 1: A novel approach and experimental verification, 22
Fuzzy control algorithm
Fuzzy control algorithm for the prediction of tension variations in hot rolling, 163

Glass compacts
Processing of platelet-reinforced glass matrix composites: effect of inclusions on sintering anisotropy, 92
Glass fibre
Stiffness behaviour of injection moulded short glass fibre/impact modifier/polypropylene hybrid composites, 48
Group technology
Considerations for using cellular manufacturing, 182

Heat transfer
Heat transfer during the formation of an HVOF sprayed WC–Co coating on a copper substrate, 1
Hot rolling
Fuzzy control algorithm for the prediction of tension variations in hot rolling, 163
HVOF spraying
Heat transfer during the formation of an HVOF sprayed WC–Co coating on a copper substrate, 1
Hybrid composites
Stiffness behaviour of injection moulded short glass fibre/impact modifier/polypropylene hybrid composites, 48

Impact modifier
Stiffness behaviour of injection moulded short glass fibre/impact modifier/polypropylene hybrid composites, 48
In-situ composition
Microstructural evolution of the titanium particles in the in-situ composition of tic–fe by the combustion synthesis, 102
Indirect squeeze-casting
Effect of die geometry on the microstructure of indirect squeeze cast and gravity die cast 5083 wrought al alloy and numerical analysis of the cooling behavior, 188
Injection upsetting
An experiment on injection upsetting, 234

Load requirement
An experiment on injection upsetting, 234

Machining
Residual stress analysis in orthogonal machining of standard and resulfurized aisi 316l steels, 225
Macro segregation
Effect of die geometry on the microstructure of indirect squeeze cast and gravity die cast 5083 wrought al alloy and numerical analysis of the cooling behavior, 188
Metal cutting process
A treatise on material characterization in the metal cutting process. Part 1: A novel approach and experimental verification, 22
A treatise on material characterization in the metal cutting process. Part 2: cutting as the fracture of workpiece material, 34
Metal forming
An experiment on injection upsetting, 234
Metal machining
A class of slip-line field solutions for metal machining with elastic contact, 9
Metal net interlayer
The effect of molybdenum net interlayer on thermal shock resistance of Al_2O_3/Nb brazed joint, 19
Metallic armour
Ballistic performance maps for thick metallic armour, 81
Micro-defects
The effect of porosity and micro-defects on plastically deformed porous materials, 117
Microstructural evolution
Microstructural evolution of the titanium particles in the in-situ composition of tic–fe by the combustion synthesis, 102
Modelling
Heat transfer during the formation of an HVOF sprayed WC–Co coating on a copper substrate, 1

Necking
Influence of strain-rate sensitivity on necking and instability in sheet metal forming, 133
Novel approach
A treatise on material characterization in the metal cutting process. Part 1: A novel approach and experimental verification, 22

Penetration resistance
Ballistic performance maps for thick metallic armour, 81
PFA
Considerations for using cellular manufacturing, 182
Plane strain rolling
Simulation of plane strain rolling through a combined finite element–boundary element approach, 173
Plastically deformed porous materials
The effect of porosity and micro-defects on plastically deformed porous materials, 117
Plasticity
A treatise on material characterization in the metal cutting process. Part 2: cutting as the fracture of workpiece material, 34
Plasticity/porosity
Open-die forging of sintered cylindrical billets: an analytical approach, 112
Porosity
The effect of porosity and micro-defects on plastically deformed porous materials, 117
Porous materials
Open-die forging of sintered cylindrical billets: an analytical approach, 112
Porous SiC
Preparation of a fibrous SiC shape using pressure-pulsed chemical vapour infiltration and its properties as a high-temperature filter, 151
Powder
The finite-element study on extrusion of powder/solid composite clad rods, 124

Pressure-pulsed chemical vapour infiltration
Preparation of a fibrous SiC shape using pressure-pulsed chemical vapour infiltration and its properties as a high-temperature filter, 151

Residual stress
Residual stress analysis in orthogonal machining of standard and resulfurized aisi 316l steels, 225
The effect of molybdenum net interlayer on thermal shock resistance of Al_2O_3/Nb brazed joint, 19
Resin-bonded diamond composite
Effect of copper filler of resin-bonded diamond composites on the wear behaviours under a dry condition, 215
Rigid inclusions
Processing of platelet-reinforced glass matrix composites: effect of inclusions on sintering anisotropy, 92

Sawing
Electrocontact-discharge sawing of metals, 139
Self-hiding of electrons
Some comments on the self-hiding of electrons at very low temperature, 108
Sheet metal forming
Influence of strain-rate sensitivity on necking and instability in sheet metal forming, 133
On stretch and shrink flanging of sheet aluminium by fluid forming, 198
Shrink flanging
On stretch and shrink flanging of sheet aluminium by fluid forming, 198
Shrinkage anisotropy
Processing of platelet-reinforced glass matrix composites: effect of inclusions on sintering anisotropy, 92
Sintering
Processing of platelet-reinforced glass matrix composites: effect of inclusions on sintering anisotropy, 92
Slip-line field solutions
A class of slip-line field solutions for metal machining with elastic contact, 9
Stiffness behaviour
Stiffness behaviour of injection moulded short glass fibre/impact modifier/polypropylene hybrid composites, 48
Strain at fracture
A treatise on material characterization in the metal cutting process. Part 2: cutting as the fracture of workpiece material, 34
Strain history
An experiment on injection upsetting, 234
Strain rate sensitivity
Influence of strain-rate sensitivity on necking and instability in sheet metal forming, 133
Stress distribution
An experiment on injection upsetting, 234
Stretch flanging
On stretch and shrink flanging of sheet aluminium by fluid forming, 198
Superconductor
Some comments on the self-hiding of electrons at very low temperature, 108

Tension control
Fuzzy control algorithm for the prediction of tension variations in hot rolling, 163
Terminal ballistics
Ballistic performance maps for thick metallic armour, 81
Thermal shock resistance
The effect of molybdenum net interlayer on thermal shock resistance of Al_2O_3/Nb brazed joint, 19
TiC–Fe
Microstructural evolution of the titanium particles in the in-situ composition of tic–fe by the combustion synthesis, 102
Tool temperature
Residual stress analysis in orthogonal machining of standard and resulfurized aisi 316l steels, 225

WC–Co coating
Heat transfer during the formation of an HVOF sprayed WC–Co coating on a copper substrate, 1
Wear behaviours
Effect of copper filler of resin-bonded diamond composites on the wear behaviours under a dry condition, 215
Wear coefficient
A study on a die wear model considering thermal softening: (I) Construction of the wear model, 53
Wear resistance
Improvement in the wear resistance of brass components by the ball burnishing process, 73
Worn diamond conditions
Effect of copper filler of resin-bonded diamond composites on the wear behaviours under a dry condition, 215